



Knowledge, Attitudes, Practice and Barriers Related to the Involvement of Medical and Nursing Students in Medical Research

Ifeoluwa Silvanus Abiodun ^{a*}, Esther Adedibu ^a,
Meyof Sabeth Mbiih Toukam ^a, Precious Anthony ^a,
Mary-Amadeus Akpanobong ^a, Rita Johnson ^a,
Bolaji Olubusayo Ayinde ^a,
Vanessa Orhe-Oghene Agberien ^a
and Esther Olufunke Monday ^a

^a All Saints University School of Medicine, Dominica.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JAMMR/2023/v35i64976

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/96458>

Original Research Article

Received: 11/12/2022

Accepted: 15/02/2023

Published: 23/02/2023

ABSTRACT

Background: Adequate knowledge and a positive attitude toward research are essential components of medical education, however, undergraduate involvement in research has been on the decline due to time constraints, heavy curriculum, and poor exposure to research methodology. This study aims to evaluate this.

*Corresponding author: E-mail: ifeoluwa.abiodun@allsaintsuniversity.org;

Methodology: A total of 70 students from All Saints University Dominica participated; 72.9% (n=51) were females while 27.1% (n=19) were males. It was also observed that 37.7% (n=26) of the study population had already commenced clinical rotations with 20.0% (n=14) being in the basic science (MD) class, 8.6% (n=06) from the nursing department and only 2.9% (n=02) of the residents were from the Pre-Med class. This study involved the use of a self-designed, structured questionnaire that was electronically distributed to students. The data analysis was done using SPSS version 23.0.

Results: It was revealed that 67.1% (n=47) of the study population demonstrated good knowledge of research, with 92.9% having a positive attitude pattern toward research. 71.4% believe that research will help them in understanding subjects better; 64.3% believe that research will help their clinical practice later while 34.8% believe that it is an extra burden to do research and 30.0% share the belief that research is time-consuming and disturbs/distracts from studies. Few of the findings include a positive association between gender and previous research participation ($p=0.019$), gender and lack of motivation from fellow students ($p=0.021$), gender and lack of proper mentorship/guidance by faculty ($p=0.019$), gender and difficulty obtaining approval from research committee ($p=0.036$).

Conclusion: The study shows that the student's knowledge of research was only above average and students' positive attitudes do not translate into actual knowledge and practice of medical research. Barriers to research included lack of time, lack of access to resources, and lack of mentoring and motivation by faculty. Medical students could benefit from proper integration of research into curricular and extracurricular activities with proper mentoring from faculty.

Keywords: Knowledge; attitude; practice; barriers; medical students; medical involvement.

1. INTRODUCTION

Medical research remains one of the most consistent and sustainable ways of contributing the bodies of knowledge as well as advancing health care delivery [1]. It is also a vital index of measuring and healthcare services in any country [2]. It fosters critical thinking as well as requisite reasoning skills required of every health worker [3]. Medical research plays a central role in the prevention, early diagnosis, management and development of new treatments of diseases [4] as well as the formulation of policies for health care programs [5]. Research is the bedrock of future medicine and has provided more evident perspectives in medicine [6,4]. This emphasizes the need for early exposure of medical students to medical research. However, there has been a documented decline in physician-scientist-students in medical practice [7-10]. Postulated explanations for the decline include fewer financial incentives, family pressures, practice philosophy, and inadequate exposure to research before career paths are determined [7].

A continuous decline could pose a severe threat to the future of academic medicine. A loss in medical discoveries and innovations could eventually influence the effective practice of clinical medicine. Thus, the essential nature of scientific research in medicine creates the need for potential solutions to the loss of physicians in

academia. One such solution is the approach of investing in future academic physicians. Several studies highlight the need for proper mentorship in clinical research for medical students [11-13]. The goal would be to create awareness of medical research and its importance and garner career interest.

A cross-sectional study in a medical school in Egypt carried out by Ibrahim Abushouk et al. [14] showed that a majority of students expressed a favorable attitude toward medical research. However, the study showed minimal engagement in research activities, which was attributed to needing more research knowledge and the absence of mentorships in clinical research. Similar findings were also demonstrated by Vairamani & Akoijam [15], where students also showed a favorable attitude toward research. However, this study indicated that students had inadequate knowledge of clinical research. The study suggested that the medical curriculum in India, where theoretical knowledge is emphasized more, and only a little attention is given to medical research, could be contributory [15]. These studies show that medical students may exhibit a positive disposition towards research but be limited by other factors that must be addressed. Exploring and addressing all potential limiting factors would enable proper discourse and solutions to be created.

With the many benefits that medical research has brought to humanity, such as the development of vaccines, drugs, and life-saving medical procedures, the importance of the early introduction of medical research in medical curriculum and clinical practice cannot be overemphasized. Determining the levels of knowledge and the attitudes of medical students towards medical research while also exposing challenges that students face in carrying out research could illuminate possible solutions to encourage more medical and nursing students into the field [16-19].

In spite of the wealth of knowledge that has been discovered, there is, however, limited information concerning the attitude and barriers to the practice of clinical research amongst Caribbean medical and nursing students. Also, there have been many studies to investigate the knowledge and attitude of medical students towards research. However, there are only few studies that assess the nature of the barriers medical students or graduates face while conducting medical research [20-23]. The objective of this study was to analyze the knowledge, attitude, practice, and barriers related to the involvement of medical and nursing students in clinical research while aiming to contribute data concerning this particular demographic.

2. MATERIALS AND METHODS

2.1 Study Population

The study population comprised registered medical students and nursing students, between the ages of 18-40 years old, from All Saints University School of Medicine, Commonwealth of Dominica. This study population comprised nationals from different countries.

2.2 Data Collection Procedure

Data was obtained from the study participants via a structured web-based questionnaire with no identifiers, ensuring the confidentiality and anonymity of the respondents. This questionnaire included questions addressing the demographic characteristics of the respondents as well as different components of the research topic. Only respondents who voluntarily gave their informed consent were recruited into the study.

The data from the web-based questionnaires were analyzed via the Statistical Package for Social Sciences (SPSS) version 23.0 software,

with P-values less than 0.05 deemed significant. Descriptives were done, and levels of statistical significance were tested using the Chi-square test. A confidence interval of 95% was determined using appropriate statistical tests. Observations were summarized in frequencies and percentages. Relationships between qualitative variables were determined using the chi-square test. While the quantitative comparison of the scores of participants was made using T-test and ANOVA where appropriate.

3. RESULTS

This study sought to investigate the relationship between knowledge, attitude, practices, and barriers hindering medical students from participating in research. A total of 70 students were recruited for the study. There was a preponderance of female participants recruited into the study as 72.9% (n=51) were females, and 27.1% (n=19) were males. Table 1 describes the breakdown of the frequency distribution of the demographic characteristics of the study participants. Students within the 20-25 age range had the predominant age range among the study population, with 20% of the research subjects being 26-30 years old and only 5.7% aged under 20 years.

It was also observed that 37.7% of the study population had already commenced clinical rotations, with 20.0% in the basic science (MD) class and only 2.9% hailing from the Pre-Med class. It was also observed that the highest frequency (17.6%) of the study population was admitted in 2015, while the lowest frequency was admitted in 2022.

Fig. 1 indicates the overall rating of participants' knowledge about research, while Figs. 2 and 3 describe the pattern of attitude towards research. These results were obtained by rating participants' responses. Correct responses to the questions on knowledge were given a mark of 1, while incorrect responses were zero. Overall scores were calculated. Participants with scores between 1-4 were rated poor, 5-7 rated average, and 8 and above were rated good. For the attitude, scores were given as follows, Agree = 2, Neutral = 1, Disagree = 0 (in case of questions with a positive disposition. This was reversed if the expected outcome was negative). A total score of more than 50% was categorized as a positive attitude, while those less were considered a negative attitude.

It was revealed that 67.1% of the study population demonstrated a good knowledge of research, with 28.6% of the study population having an average knowledge of research and only 4.3% of the study population having poor knowledge of research (Fig. 1).

Regarding their pattern of attitude, 92.9% of the study population had a positive toward research, while 7.1% of the study population had a negative attitude toward research (Fig. 3).

Table 1. Characteristics of study population

Variables	Frequency	Percentage (%)
Age group		
< 20	04	5.7
20-25	46	65.7
26-30	14	20.0
31-35	03	4.3
36-40	02	2.9
Above 40 years	01	1.4
Gender		
Male	19	27.1
Female	51	72.9
Class		
Pre-med	02	2.9
Md	14	20.0
Between MD and Clinicals	13	18.6
Clinical rotations	26	37.7
Medical graduate	06	8.6
Nursing	06	8.6
Graduate nurses	02	2.9
Year of admission		
Before 2015	09	12.9
2015	12	17.1
2016	07	10.0
2017	06	8.6
2018	05	7.1
2019	08	11.4
2020	09	12.9
2021	10	14.3
2022	02	2.9




Fig. 1. Level of knowledge of participants in research



Fig. 2. Distribution patterns of the attitude of respondents toward research




Fig. 3. Pattern of respondents' attitude towards research

Regarding the questions asked to determine the attitude of the study population, it was observed that 88.6% of the respondents agreed that being knowledgeable about research enriches medical education, while 11.4% were neutral. Also, 91.4% agreed that research helps improve one's curriculum vitae, with 2.9% disagreeing and 5.7% neutral. In addition, 94.3% of respondents thought that research contributes to innovations in the medical field, with 1.4% disagreeing and 4.3% neutral. Though 15.7% of the study population were indifferent about medical research being a part of the medical curriculum, most (81.4%) of the respondents were in agreement, while 2.9% of them disagreed.

Furthermore, 71.4% believe that research will help them understand other subjects better, with

22.9% being neutral and 5.7% in disagreement. On the other hand, 64.3% believe that research will help one's clinical practice later, 34.8% believe that it is an extra burden to do research, and 30.0% share the belief that research is time-consuming and disturbs/distracts from studies. 37.1% think that the financial prospects are good for a career in research, while 30.0% believe they can consider a career in medical research after completion of medical school.

4. DISCUSSION

Research has been instrumental in the growth of the healthcare system. On several occasions, medical research has helped realize and address patterns in the medical field, develop solutions to medical problems, and improve medicine.

Hence, the vitality of research for medical professionals. Although not all medical professionals are inspired to carry out research, there must be proper awareness and knowledge of the principles of scientific research. (Amar-Singh et al., 2011) To carry out research, a wealth of knowledge, a positive attitude, and appropriate skills are necessary [4].

This study intended to investigate the knowledge, attitudes, practice, and barriers related to the involvement of medical and nursing students of All Saints University, School of medicine, in medical research. In this study, 92.9% of the population showed a positive attitude towards research, with a much lower percentage of 67.1% demonstrating adequate knowledge.

Table 2. Frequency distribution of the participants on research attitude

Attitude statements	Agree	Neutral	Disagree
1. Research enriches medical education	88.6%	11.4%	-----
2. Research helps in improving one's curriculum vitae	91.4%	5.7%	2.9%
3. Research contributes to innovations in the medical field	94.3%	4.3%	1.4%
4. Medical research should be a part of the medical curriculum	81.4%	15.7%	2.9%
5. Research will help in understanding subjects better	71.4%	22.9%	5.7%
6. Research will help one's clinical practice later	64.3%	31.4%	4.3%
7. It is an extra burden to do research	34.8%	33.3%	31.9%
8. Research is time-consuming and disturbs/distracts studies	30.0%	37.1%	32.9%
9. Financial prospects are good for a research career	37.1%	54.3%	8.6%
10. I can consider medical research as an exclusive future career option after completion of medical school	30.0%	31.4%	38.6%

Table 3. Relationship between gender and age characteristics vs knowledge rating

Variables	Good level of knowledge	The average level of knowledge	Poor level of knowledge	χ^2	P-value
Age (years)					
Less than 20 yrs	3 (75.0%)	1 (25.0%)	0 (0.0%)	7.367	0.690
20-25 yrs	29 (63.0%)	16 (34.8%)	1 (2.2%)		
26-30 yrs	10 (71.4%)	2 (14.3%)	2 (14.3%)		
31-35 yrs	2 (66.7%)	1 (33.3%)	0 (0.0%)		
36-40 yrs	2 (100.0%)	0 (0.0%)	0 (0.0%)		
Above 40 yrs	1 (100.0%)	0 (0.0%)	0 (0.0%)		
Sex					
Male	13 (68.4%)	6 (31.6%)	0 (0.0)	1.207	0.547
Female	34 (66.7%)	14 (27.5%)	3 (5.9%)		

*Statistically significant at $P < 0.05$. The results displayed above indicate no statistically significant association ($P > 0.05$) between gender, age, and knowledge of research

Table 4. Gender and age characteristics of a pattern of attitude

Variables	Positive	Negative	χ^2	P-VALUE
Age (years)				
Less than 20 yrs	4 (100.0%)	0 (0.0%)	0.936	0.968
20-25 yrs	42 (91.3%)	4 (8.7%)		
26-30 yrs	13 (92.9%)	1 (7.1%)		
31-35 yrs	3 (100.0%)	0 (0.0%)		
36-40 yrs	2 (100.0%)	0 (0.0%)		
Above 40 yrs	1 (100.0%)	0 (0.0%)		
Sex				
Male	18 (94.7%)	1 (5.3%)	0.139	0.709
Female	47 (92.2%)	4 (7.8%)		

*Statistically significant at $P < 0.05$. The results above indicate no statistically significant relationship ($P > 0.05$) between gender, age, and attitude toward research

Table 5. Class characteristics of knowledge rating

Variables	Good level of knowledge	The average level of knowledge	Poor level of knowledge	χ^2	P-VALUE
Class					
Pre-Med	2 (100.0%)	0 (0.0%)	0 (0.0%)	12.470	0.569
MD	8 (57.1%)	6 (42.9%)	0 (0%)		
MD-clinicals	6 (46.2%)	5 (38.5%)	2 (15.4%)		
Clinical rotations	19 (73.1%)	6 (23.1%)	1 (3.8%)		
Med graduate	6 (100.0%)	0 (0.0%)	0 (0.0%)		
Nursing	4 (66.7%)	2 (33.3%)	0 (0.0%)		
Nursing graduate	1 (50.0%)	1 (50.0%)	0 (0.0%)		

*Statistically significant at $P < 0.05$. The results displayed above indicate no statistically significant relationship ($P > 0.05$) between class and knowledge of research

Table 6. Class characteristics of the pattern of attitude

Variables	Positive	Negative	χ^2	P-value
Class				
Pre-Med	2 (100.0%)	0 (0.0%)	3.176	0.868
MD	12 (85.7%)	2 (14.3%)		
MD-clinicals	12 (92.3%)	1 (7.7%)		
Clinical rotations	25 (96.2%)	1 (3.8%)		
Med graduate	6 (100.0%)	0 (0.0%)		
Nursing	5 (83.3%)	1 (16.7%)		
Nursing graduate	2 (100.0%)	0 (0.0%)		

*Statistically significant at $P < 0.05$. The results above indicate no statistically significant relationship ($P > 0.05$) between class and attitude toward research

Table 7. Year of admission characteristics of knowledge rating

Variables	Good level of knowledge	The average level of knowledge	Poor level of knowledge	χ^2	P-value
Year					
Before 2015	6 (66.7%)	2 (22.2%)	1 (11.1%)	14.629	0.687
2015	9 (75.0%)	3 (25.0%)	0 (0.0%)		
2016	4 (57.1%)	3 (42.9%)	0 (0.0%)		
2017	4 (66.7%)	2 (33.3%)	0 (0.0%)		
2018	2 (40.0%)	2 (40.0%)	1 (20.0%)		
2019	3 (37.5%)	4 (50.0%)	1 (12.5%)		
2020	8 (88.9%)	1 (11.1%)	0 (0.0%)		
2021	8 (80.0%)	2 (20.0%)	0 (0.0%)		
2022	2 (100.0%)	0 (0.0%)	0 (0.0%)		

*Statistically significant at $P < 0.05$. The results displayed above indicate no statistically significant relationship ($P > 0.05$) between the year of admission and knowledge of research

This finding is consistent with a study carried out by the Faculty of Medicine, Ain Sham University, Egypt which showed a gap between a positive attitude towards research and adequate knowledge of medical research. They attributed this gap to barriers such as; lack of mentoring, funding, and time [14]. Similar studies carried out in the Department of Pharmacology, Sri Devaraj Urs Medical College, India [4] and amongst dentists and dental students in the western

region of Saudi Arabia showed a gap between attitude and knowledge of medical research (Abdulrahman et al., 2020).

In addition, 71.4% (50) of students believe that research will help them understand subjects and concepts taught in school much better, which is consistent with the study done by the Department of Community Medicine, Government Medical College Nagpur, India [24]

and 64.3% (45) believe that research will help their clinical practice later in the future. However, 34.8% (24) of these students believe carrying out research work is an extra burden to other academic work they need to do, and 30.0% (21) of the total students also share the belief that research is time-consuming and disturbs/distracts from studies. This could be attributed to the accelerated medical program requiring more volume of work within a shorter time at the University.

The study revealed no significant gender-based effect on good research knowledge and attitudes toward research. In this research, males showed higher levels of good research knowledge, with a gender percentage score of 68.4%, and higher positive attitudes and perceptions towards research, with a gender percentage score of

94.7%. However, the p-values for gender-based knowledge and attitudes were estimated to be 0.547 and 0.709, respectively, rendering the above findings statistically insignificant. These findings are inconsistent with the studies conducted by the Department of Pharmacology at The Sri Devaraj Urs Medical College in Tamaka, Kolar [4] and a multi-center cross-sectional study conducted on medical students from 6 Arab countries [1] which both show a female predominance in attitudes towards research.

The study also revealed that the research knowledge base increased based on education level. The Clinical students reported statistically higher research knowledge percentages than the MD students.

Table 8. Year of admission characteristics of a pattern of attitude

Variables	Positive	Negative	χ^2	P-value
Year				
Before 2015	9 (100.0%)	0 (0.0%)		
2015	12 (100.0%)	0 (0.0%)	10.697	0.297
2016	7 (100.0%)	0 (0.0%)		
2017	5 (83.3%)	1 (16.7%)		
2018	5 (100.0%)	0 (0.0%)		
2019	6 (75.0%)	2 (25.0%)		
2020	9 (100.0%)	0 (0.0%)		
2021	8 (80.0%)	2 (20.0%)		
2022	2 (100.0%)	0 (0.0%)		

*Statistically significant at $P < 0.05$. The results displayed above indicate that there is no statistically significant relationship ($P > 0.05$) between the year of admission and attitude toward research

Table 9. Comparison of gender vs research barriers and practices

Practices	P-value
The research will help my clinical practice later	0.026*
Research is time-consuming and a distraction from studies	0.983
Have you participated in or conducted any research studies before	0.019*
Have you written any scientific paper	0.000*
Have you attended any workshops on research methodology	0.391
Will you be interested in attending any workshops on research methodology	0.826
Barriers	
Lack of awareness	0.109
Lack of motivation from fellow medical students	0.021*
Lack of time	0.144
Difficulty in choosing a research topic	0.335
Difficulty in analyzing data	0.741
Difficulty in obtaining approval from ethical review boards	0.036*
Lack of proper guidance/support/mentorship from faculty	0.011*
Lack of interest in research by faculty	0.252
Inadequate facilities and funding for research	0.229

*Statistically significant at $P < 0.05$

Table 10. Comparison of class vs research barriers and practices

Practices	P-value
Research experience will boost my chances of matching for residency	0.001*
Lack of knowledge about research	0.072
Have you participated in or conducted any research studies before	0.753
Have you written any scientific paper	0.146
Barriers	
Lack of awareness	0.049*
Difficulty in choosing a research topic	0.024*
Lack of proper guidance/support/mentorship from faculty	0.038*
Lack of school curriculum on research	0.001*
Lack of interest in research by faculty	0.000*
Inadequate funding for research	0.000*
Lack of exposure and opportunities	0.000*
Lack of incentives	0.000*
Inadequate facilities for research	0.002*
Difficulty in analyzing data	0.419
Difficulty in writing research proposals	0.364
Lack of motivation from fellow medical students	0.879
Lack of time	0.484

*Statistically significant at $P < 0.05$

This results are similar to the findings of a study done on medical students of Aga Khan University (AKU) in Karachi, Pakistan [25] and a study done by the Faculty of Medicine, Ain Shams University, Egypt [14] which shows the exact correlation between study level and research knowledge. This could be due to an increased awareness of the importance of research as a resume booster for residency applications as the level of classes increases.

The study also revealed a greater positive perception of research in the pre-med population over the MD classes. This finding is consistent with findings reported in a cross-sectional study conducted by the Department of Nutrition and Dietetics, American University of Beirut [26]. This similarity could be due to the increased curriculum-based workload and time constraints in the MD classes compared to the Pre-med classes. The barriers to research that the participants in this study listed included: lack of time to conduct research, difficulty in following up with research participants, in research procedures such as choosing a topic, result collection, data analysis, and ethics board approval processes. These reflect the need for a comprehensive research-based module to be drafted and incorporated into the medical school curriculum.

Lack of proper mentorship and research facilities were also cited as barriers. This is potentially due to the school's location in a developing area. The

limited facilities for research could be overcome by encouraging students to pursue and engage in more community-based research, which would abound in opportunities in an environment like this. A similar suggestion was made in the cross-sectional study done by the College of Medicine of three respective universities in Saudi Arabia, The State of Kuwait, and the Kingdom of Bahrain [27].

5. CONCLUSIONS AND RECOMMENDATIONS

In our current study, the knowledge regarding research amongst the medical students was good, and the attitude regarding involvement in research activity was highly encouraging. This study found positive associations between gender and previous research participation, lack of motivation from fellow students, lack of proper mentorship/guidance by faculty, and difficulty obtaining approval from the research committee. There were also positive relationships between class of study and lack of awareness of research resources available in the school and lack of interest in research by faculty, lack of exposure/research opportunities, and lack of academic curriculum for research. The main barriers to research included lack of time, lack of access to resources, and lack of mentoring and motivation by faculty. The students' positive attitudes do not translate into actual knowledge and practice of medical research. Medical students would benefit from proper integration of

research into curricular and extracurricular activities with proper mentoring from faculty.

6. STUDY LIMITATIONS AND STRENGTHS

There were several limitations to our study. Data collection involved self-administered questionnaires, which may be associated with some degree of bias. The sample size was also small. Furthermore, the sampling site involved only one medical school, hence, our findings cannot be generalized for the whole medical students in Dominica. Instead, it serves as a pilot study for other studies that should be conducted on a larger scale. In spite of these limitations, the use of a standardized questionnaire for this study gives room for future comparison our findings to the findings of other studies done under similar conditions using similar analytical tools [28]. We advocate for more detailed studies to be carried out across several medical institutions in the country on a larger scale, so as to address this fundamental issue of medical research

CONSENT AND ETHICAL APPROVAL

All participants recruited for this study provided written informed consent for their data to be used for medical research. Also, the research proposal was approved by the University's ethical committee (AUSM_IRB_Project 003).

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Assar A, Matar SG, Hasabo EA, Elsayed SM, Zaazouee MS, Hamdallah A, Elshanbary AA, Khaled A, Badr H, Abukmail H, Ragab KM, Soliman SS, IMedRA team of collaborators. Knowledge, attitudes, practices and perceived barriers towards research in undergraduate medical students of six Arab countries. *BMC medical education*. 2022;22(1):44. Available: <https://doi.org/10.1186/s12909-022-03121-3>
2. Vujaklija A, Hren D, Sambunjak D, Vodopivec I, Ivanis A, Marusić A, et al., Can teaching research methodology influence students' attitude toward science? Cohort study and nonrandomized trial in a single medical school. *J Investig Med Off Publ Am Fed Clin Res*. 2010; 58(2):282–6.
3. Aslam F, Shakir M, Qayyum MA. Why medical students are crucial to the future of research in South Asia. *PLoS Med*. 2005;2(11):1110–1.
4. Basavareddy A, Pallamparthy S. Knowledge, attitude, practice, and barriers toward research among medical students: A cross-sectional questionnaire-based survey. *Perspectives in Clinical Research*. 2019;10(2):73. Available: https://doi.org/10.4103/picr.picr_1_18
5. Lavis JN, Oxman AD, Moynihan R, Paulsen EJ. Evidence-informed health policy 1– Synthesis of findings from a multi-method study of organizations that support the use of research evidence. *Implementation Science*. 2008;3(1):53. Available: <https://doi.org/10.1186/1748-5908-3-53>
6. Dellis A, Skolarikos A, Papatsoris AG. Why should I do research? Is it a waste of time? *Arab Journal of Urology*. 2014;12(1):68–70. Available: <https://doi.org/10.1016/j.aju.2013.08.007>
7. AlGhamdi KM, Moussa NA, AlEssa DS, AlOthimeen N, Al-Saud AS. Perceptions, attitudes, and practices toward research among senior medical students. *Saudi Pharmaceutical Journal*. 2014;22(2):113–117. Available: <https://doi.org/10.1016/j.jsps.2013.02.006>
8. Amgad M, Man Kin Tsui M, Liptrott SJ, Shash E. Medical Student Research: an integrated mixed-methods systematic review and meta-analysis. *PLOS ONE*. 2015;10(6):e0127470. Available: <https://doi.org/10.1371/journal.pone.0127470>
9. Burgoyne LN, O'Flynn S, Boylan GB. Undergraduate medical research: The student perspective. *Med Educ Online*. 2010;15(1):5212. [PMC free article] [PubMed] [CrossRef] [Google Scholar] [Ref list]. DOI: 10.3402/meo.v15i0.5212
10. Chang Y, Ramnanan CJ. A review of literature on medical students and scholarly research: Experiences, attitudes, and outcomes. *Academic medicine: Journal of the Association of American Medical Colleges*. 2015;90(8):1162–1173.

11. Brueckner-Collins JK, Stratton TD, Conigliaro RL. Inspiring the next generation of academic physicians: the academic health careers program. *Medical education online*. 2018;23(1):1530559. Available:<https://doi.org/10.1080/10872981.2018.1530559>
12. Hernandez J, Al-Saadi S, Boyle R, et al. Surgeons can favorably influence career choices and goals for students interested in careers in medicine. *J Am Coll Surg*. 2009;209:62–67. [PubMed] [Google Scholar].
13. Areephanthu C, Bole R, Stratton T. et al. Impact of professional student mentored research fellowship on medical education and academic medicine career path. *Clin Transl Sci*. 2015;8:479–483. [PMC free article] [PubMed] [Google Scholar]
14. Abushouk AI, Hatata AN, Omran IM, Youniss MM, Elmansy KF, Meawad AG. Attitudes and perceived barriers among medical students towards clinical research: A cross-sectional study in an Egyptian medical school. *Journal of Biomedical Education*. 2016;1–7. Article ID 5490575. Available:<https://doi.org/10.1155/2016/5490575>
15. Vairamani CR, Akoijam BS. Knowledge, attitude and perceived barriers towards conducting research among students in a medical college, India. *International Journal of Community Medicine And Public Health*. 2018;5(2):806. Available:<https://doi.org/10.18203/2394-6040.ijcmph20180273>
16. Fernandez CR, Lucas R, Soto-Greene M, Sánchez JP. 2017 Introducing trainees to academic medicine career roles and responsibilities. *MedEdPORTAL*. Available:https://doi.org/10.15766/mep_2374-8265.10653
17. Imafuku R, Saiki T, Kawakami C, Suzuki Y. How do students' perceptions of research and approaches to learning change in undergraduate research? *Int J Med Educ*. 2015;6:47–55. [PMC free article] [PubMed] [Google Scholar] [Ref list].
18. Memarpour M, Fard AP, Ghasemi R. Evaluation of attitude to, knowledge of, and barriers toward research among medical science students. *Asia Pacific Family Medicine*. 2015;14(1):1. Available:<https://doi.org/10.1186/s12930-015-0019-2>
19. Naing C, Wai VN, Durham J, Whittaker MA, Win NN, Aung K, Mak JW. A systematic review and meta-analysis of medical students' perspectives on the engagement in research. *Medicine*. 2015;94(28):e1089. Available:<https://doi.org/10.1097/MD.0000000001089>
20. Nel D, Burman RJ, Hoffman R, Randera-Rees S. The attitudes of medical students to research. *S Afr Med J*. 2013;104(1):33-6. PMID: 24388084. DOI: 10.7196/samj.7058
21. Ommering B, Wijnen-Meijer M, Dolmans D, Dekker FW, van Blankenstein FM. Promoting positive perceptions of and motivation for research among undergraduate medical students to stimulate future research involvement: a grounded theory study. *BMC medical education*. 2020;20(1):204. Available:<https://doi.org/10.1186/s12909-020-02112-6>
22. Rosenkranz SK, Wang SY, Hu WD. Motivating medical students to do research: A mixed-methods study using Self-determination theory. *BMC Med Educ*. 2015;15. [PMC free article] [PubMed] [Ref list].
23. Sackett DL. Evidence-based medicine. *Seminars in Perinatology*, 1997;21(1):3–5. Available:[https://doi.org/10.1016/S0146-0005\(97\)80013-4](https://doi.org/10.1016/S0146-0005(97)80013-4)
24. Sharma SK, Thatikonda N, Ukey UU. Knowledge, attitude, practice and barriers for research amongst medical students of GMC. Nagpur *Journal of Research in Medical and Dental Science*. 2021;9(4): 41–47.
25. Khan H, Khawaja MR, Waheed A, Rauf MA, Fatmi Z. Knowledge and attitudes about health research amongst a group of Pakistani medical students. *BMC medical education*. 2006;6:54. Available:<https://doi.org/10.1186/1472-6920-6-54>
26. El Achi D, Al Hakim L, Makki M, Mokaddem M, Khalil PA, Kaafarani BR, Tamim H. Perception, attitude, practice and barriers towards medical research among undergraduate students. *BMC medical education*. 2020;20(1):195. Available:<https://doi.org/10.1186/s12909-020-02104-6>
27. Amin TT, Kaliyadan F, Al Qattan EA, Al Majed MH, Al Khanjaf HS, Mirza M. Knowledge, attitudes and barriers related

to participation of medical students in research in three Arab universities. Education in Medicine Journal. 2012;4(1). Available:<https://doi.org/10.5959/eimj.v4i1>.
7

28. Aiha Analytical Chemistry Committee & American Laboratory Quality Assurance Manual. Amer Industrial Hygiene Assn; 1997.

© 2023 Abiodun et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/96458>